


**HONLIX**

**HONLIX**

## 4寸LCD屏交流充电桩产品参数

## 4 "LCD screen AC charging pile product parameters




**HLK-725**

**EU AC charging pile 11KW or 22kw 4 inch screen -APP version Bluetooth WIFI**

## 4寸LCD屏交流充电桩产品参数

## 4 "LCD screen AC charging pile product parameters



**HLK-725**


**EU AC charging pile 11KW or 22kw 4 inch screen -APP version Bluetooth WIFI**

## 4寸LCD屏交流充电桩产品参数


## 4 "LCD screen AC charging pile product parameters



parameter	productname	7KW LCD screen	11KW LCD screen	22KW LCD screen
	Model	ZAU207X-CS	ZAU311X-XS	ZAU322X-XS
Input	Phases/lines	L、N、PE	L1、L2、L3、N、PE	L1、L2、L3、N、PE
	AC nominal input	AC230V±20%	AC380V±20%	AC380V±20%
	Current	32A	16A	32A
	Frequency	50±3Hz		
Output	AC nominal output	AC230V±20%	AC380V±20%	AC380V±20%
	Current	32A	16A	32A
	Power	7KW	11KW	22KW
Configuration	Charging outlet	Type1、Type2、Type3、GB/T 20234.2		
	length of cable	5M		
	Housing material	PC(fire-proof)		
	LED indicator	red/green/blue		
	RFID	Yes		
	Control mode	RFID/APP/PLUG&PLAY		
	Emergency stop	Yes		
Communication Protection	4G	Optional		
	WIFI	Yes		
	2*RS485	Optional		
	Bluetooth	Yes		
	OCPP 1.6	Optional		
	Electric quantity gauge	/		
	RCD	6mA DC		
	Protection Level	IP55		
	Seven protections	emergency stop/overvoltage/undervoltage/overcurrent/leakage/earthing/over-temperature		
	Certificates	CE/CSA		
Safety standards	EN/IEC 61851-1,EN/IEC 61851-21-2,EN62196,UL 2231,UL2594,UL991,UL1998,FCC part15B			
Environmental index	Warranty	Two years		
	Installation	Wall-mount/Floor-stand		
	Operation Temperature	-30°C~+50°C		
	Working humidity	5%~95%,without condensation		
	Dimension	221.8*103.9*405mm		
	Net weight	2.35KG		
Connector	Gross weight	6.0KG		
	Connection	CASE B/CASE C		



Leakage Protection



Overcurrent Protection




Overvoltage Protection



Lightning Protection



Waterproof Protection





Overheat Protection




CP Malfunction Protection



Multi-Scenario High Efficient Support Charging




Emergency Stop



Short Circuit Protection



IP55



Plug and Play

## HLK-725

EU AC charging pile 11KW or 22kw 4 inch screen -APP version Bluetooth WIFI

# Thanks!

For more information, please visit our website  
<http://www.honlix.com>